

## D5-D30 ROTARY SCREW COMPRESSOR

MODEL	DRIVE MOTOR	SCFM		DRIVE CONFIG.	MOTOR	MOUNT	TANK SIZE	DIMENSIONS L x W x H	WEIGHT	SOUND	CONTROLLER	VOLTAGE 60 HZ	
	HP	125 PSI	145 PSI		RPM		GAL	INCHES	LBS.	DBA		SINGLE PHASE	THREE PHASE
D5	5	N/A	14.2	BELT	1740	AS	60	52 x 24 x 44	505	65	CSC15	230	N/A
D6		N/A	15.3			BASE	N/A	34 x 21 x 25	378	63		CSC50	230
D7.5	7.5	N/A	28.0			AS	80	66 x 21 x 46	665	63			
						BASE	N/A	34 x 21 x 25	404	66			
D10	10	N/A	31.7		1760	BASE	N/A	41 x 27 x 37	560	65	CSC300		
						AS	120	77 x 27 x 63	970				
D15	15	N/A	50.3		3450	BASE	N/A	41 x 27 x 37	600	69		N/A	
						AS	120	77 x 27 x 63	1175				
D20	20	75.5	65.7		3510	BASE	N/A	96 x 63 x 81	1298	73	Governor	N/A	
						AS	120 240	35 x 75 x 77 35 x 92 x 83	1701				
D25	25	97.3	89.7			BASE	N/A	96 x 63 x 81	1298	74		N/A	
						AS	120 240	35 x 75 x 77 35 x 92 x 83	1701				
D30	30	111.8	103.3	BASE		N/A	96 x 63 x 81	1298	74	N/A			
				AS		120 240	35 x 75 x 77 35 x 92 x 83	1701					

NOTES: Air System includes Air Receiver, Pre-Filter & Refrigerated Air Dryer  
AS = Air System

## D40-D50 ROTARY SCREW COMPRESSOR

MODEL	DRIVE MOTOR HP	SCFM 110 PSI	SCFM 130 PSI	SCFM 145 PSI	SCFM 175 PSI	DRIVE CONFIG.	MOUNT	DIMENSIONS L x W x H INCHES	WEIGHT LBS.	SOUND DBA	THREE PHASE VOLTAGE 60 HZ
D40	40	183.3	165.8	138.5	137.1	GEAR	BASE	63.1 x 36.6 x 67.8	1900	74	230 / 460
D50	50	222.1	212.9	167.0	164.0	GEAR	BASE	63.1 x 36.6 x 67.8	1930	74	230 / 460

## D75-D100 ROTARY SCREW COMPRESSOR

MODEL	DRIVE MOTOR HP	SCFM 100 PSI	SCFM 125 PSI	SCFM 145 PSI	DRIVE CONFIG.	MOUNT	DIMENSIONS L x W x H INCHES	WEIGHT LBS.	SOUND DBA	CONTROLLER	THREE PHASE VOLTAGE 60 HZ
D75	75	281	277	N/A	DIRECT	BASE	79 x 47 x 79	3360	74	CSC300	460
D100	100	451	448	N/A	DIRECT	BASE	79 x 47 x 79	3770	75	CSC300	460